



JRCS Smart Eye System

24/7 Engine Room monitoring via webcam! Supporting safe navigation of vessels

Industrial Television System

J-S Eye


Helps prevent an onboard abnormalities by detecting early-warning signs, alerting the crew, and recording the situation



Features

- 1 Detects abnormalities by comparing images based on the start of detection
- 2 No difficult settings due to parameters automatically determined by machine learning.
- 3 Records video footage of an abnormal situation from 10 seconds before detection, enabling later analysis
- 4 User-configurable, precise detection area helps prevent false alarms caused by shaking and human movement.
- 5 Detection functionality is not affected by onboard vibration or flickering fluorescent lights

System Diagram



*Multiple extension monitoring PCs can be installed.

*For the extension monitoring PCs, only the media for software installation will be provided.

General Specification

*These specifications are subject to change.

- Power supply: AC 100~220 V
- Number of cameras: max. 6
- Supports connection to the onboard LAN
- Camera can be IP44 compatible (Optional)
- Supports connection to a remote monitoring PC (Recommended OS: Windows 10 or later)
- Supports connection to 1 alarm device (Optional)
- Alarm signal output to loggers, etc. possible (Optional)

Operating Environment

- Cameras cannot be installed in areas where they may be exposed to direct or reflected light from halogen lamps.
- Each camera must be placed within 15 m of its target detection area.
- A separate hub which supports Power-over-Ethernet (PoE) is necessary if the Ethernet cables are longer than 85 m.



JRCS Co. Ltd.

URL : www.jrcs.co.jp

E-mail : jrcs@jrcs.co.jp

Tel : +81 (0)83 775 2030

■ JRCS Shimonoseki (headquarters)
■ JRCS Tokyo (headquarters) ■ JRCS Toyoura
■ The Netherlands ■ Singapore ■ Shanghai



Contact us here